



LA PLOTERÍA
Equipos Técnicos



Váli

Low temperature cold Laminator



Features and advantages

- * Heavier silicone rubber rollers to extend service life.
- * Equipped with meter counter.
- * Sheet metal integration.
- * Infrared to prevent hand pinching.






Model	ADL-1650H6
Max laminating width	1650mm
Max Laminate thickness	25mm
Machine color	White
Laminates speed	0-30m/min
Enhance way	Electric
Rated input powder	0.2-0.8kw/h
Printing Resolution	1440*2880dpi
Continuous Power	1300W
Temperature range	0-60°C
Working way	Automatic
Packing size	220*77*76cm








Machine Structure








1. Consumable :

Hot film	Glossy hot film		Mass hot film	
	Cold Film with bottom paper	Glossy hot film		Matt Cold film
Cold Film Without Bottom paper	Glossy hot film		Matt Cold film	



2. Working process






3. Machine Detail picture :


Infrared protect




Equipped with three Cutter



Driver Motor



Control Panel






Regulator



Emergency stop switch



Fine adjustment knob







Roller up and down switch





Maybe you will need Below products :

Inkjet printer	Manual Laminator
 <p>2770mm 1900mm 2100mm 800mm 2300mm</p>	
Roll to roll heat press machine	Small flatbed heat press machine
	



UV printer



Plotter machine



Sublimation textile printer




Different Material





LA PLOTERÍA

Equipos Técnicos

 +(506) 7049-6962 / 7054-2389

 info@laploteria.com
laploteriacr@gmail.com

 /laploteriacr

 www.laploteria.com